



# Hardware solutions for our PoS Software



**THE COMPLETE EPOS SOLUTION**  
NORTH WEST BUSINESS MACHINES

Modern, sharp design,  
enhanced definition,  
robust & durable



**Good**



**Better**



**Best**



**THE COMPLETE EPOS SOLUTION**  
NORTH WEST BUSINESS MACHINES

[www.nwbm.co.uk](http://www.nwbm.co.uk)



# MT160

**Good**



## System

CPU: Intel Celeron N2807 (Dual Core up to 2.16Ghz)  
RAM: DDR III 1 Slot (upto 4GB)

## Display

LCD: 15" LED Backlight LCD (1024 x 768)  
Touch: PCAP Touch

## Interface

Serial: 3 Ports (RI/5V/12V Bios Selectable) (1 Port: RS-422/485 (Jumper Selectable))  
USB: 2.0: 6 Ports  
Ethernet: 1 Port  
VGA: 1 Port  
Drawer: 1 Port/2CH (12V/24V Selectable)  
Audio: 1 Port (Line Out)

## Optional

MSR: 1/2/3 Track Support (USB)  
Rear Display: VFD (20CH X 2 Line, 256 x 32 Graphic). LCD (9.7", 15" Touch Option)

Wall Mount: VESA Wall Mount  
Stand: V Stand

## Software

OS: POSReady7/Windows 8.1 Industry Retail/Windows 10 IoT Enterprise

## Power supply

DC 12V/5A (60W)

## Dimension

379 (W) x 264 (H) x 362 (D)mm

## Weight

6.0kg

## Colour

Black

## Certifications

CE/FCC/CB/CTUVus (NRTL) / RoHS/IP55 Rated

**Suitable for Hospitality, Retail, Leisure & Education**

We can source alternative hardware if you have seen something you like, but these are the terminals we recommend.





# MT260

**Better**

### System

CPU: Intel N3160 (Quad Core up to 2.24Ghz)  
RAM: DDR III 1 Slot (upto 8GB)

### Display

LCD: 15" LED Backlight LCD (1024 x 768)  
Touch: PCAP Touch

### Interface

Serial: 3 Ports (RI/5V/12V Bios Selectable)  
(1 Port: RS-422/485 (Jumper Selectable)  
USB: 2.0: 4 Ports/3.0 2 Ports  
Ethernet: 1 Port  
VGA: 1 Port  
Drawer: 1 Port/2CH (12V/24V Selectable)  
Audio: 1 Port (Line Out)

### Optional

MSR: 1/2/3 Track Support (USB)  
Rear Display:VFD (20CH X 2 Line, 256 x 32  
Graphic). LCD (9.7", 15" Touch Option)

Wall Mount: VESA Wall Mount

Stand: V Stand

### Software

OS: POSReady7/Windows 8.1 Industry  
Retail/Windows 10 IoT Enterprise

### Power supply

DC 12V/5A (60W)

### Dimension

379 (W) x 264 (H) x 362 (D)mm

### Weight

6.0kg

### Colour

Black/White

### Certifications

CE/FCC/CB/CTUVus (NRTL) / RoHS/IP55  
Rated

**Suitable for Hospitality, Retail, Leisure & Education**

We can source alternative hardware if you have seen something you like, but these are the terminals we recommend. Also available in black and white.



**THE COMPLETE EPOS SOLUTION**  
NORTH WEST BUSINESS MACHINES

[www.nwbm.co.uk](http://www.nwbm.co.uk)

# Yuno

## Best



### System

CPU: Broadwell I3 5010U or BayTrail J1900  
Quad-Core  
RAM: DDR3 SODIMM 4 GB as standard (up to 8 GB)  
SSD: 2.5" 64 GB

### Display

LCD: 15" TFT (1024 x 768) or 15.6" (1366 x 768) (Yuno wide), LED back-lighting  
Touchscreen: Flat, zero bezel multi-touch screen – with projected, capacitive panel (PCAP)  
Brightness: 15" - 250 cd/m<sup>2</sup> ; 15.6" - 200 cd/m<sup>2</sup>

### Interface

Serial: 4 serial ports (+ 5/12 V power supply for COM3 / COM4)  
USB: 5 USB 2.0 ports + 1 USB 3.0 port  
LAN: 10/100/1000Base-T  
2nd Screen: Port with support for HDMI, DVI and VGA (mini Display Port)

### Miscellaneous

EMI: CE/FCC Class A  
Safety: LVD, external adaptor UL c/us, CE, TUV, etc.  
Operating Temperature: 0-40 °C  
Front: Dust and splash-proof  
Colours: Black or White  
Materials: Polycarbonate (cover) + aluminium (structure)

Dimensions: (W x D x H) - 360.1 x 171.5 x 316.1 mm (15.1" format)  
402.2 x 171.5 x 295.3 mm (15.6" Wide format)

Weight: 10–11 kg depending on the option (15.1" format)  
11–12 kg (15.6" Wide format)

### Software

Windows 8 Industry, Windows 7 Pro, POS Ready 7, Linux, Android

### Power supply

+ external 19 V DC

### Optional Extras

Multi-Technology reader: for combined reading of MSR and RFID (high and low frequencies), Bluetooth (BLE), NFC.

Addimat and/or Dallas readers: 1 slot, at right of EPOS terminal

Fingerprint reader: Yes

Barcode reader: 1D and 2D

Customer display: 20 characters x 2 lines (VFD)

2nd screen: 10.1" - 16:9 1024 x 600 Flat LED screen (EPOS digital signage)

WiFi: Internal, 802.11 b/g/n

VESA fixings option(s): For wall or pole-mounted applications (no base nor stand)

Simple screen option(s): This EPOS terminal is available in a monitor version (15.1" and 15.6" touchscreens)

**Suitable for Hospitality, Retail, Leisure & Education**

We can source alternative hardware if you have seen something you like, but these are the terminals we recommend. Also available in white.



**THE COMPLETE EPOS SOLUTION**  
NORTH WEST BUSINESS MACHINES

[www.nwbm.co.uk](http://www.nwbm.co.uk)

We're with you every  
step of the way!

---

**Call our EPOS System Experts: 01254 881177**

[www.nwbm.co.uk](http://www.nwbm.co.uk)



**THE COMPLETE EPOS SOLUTION**  
NORTH WEST BUSINESS MACHINES